


ISTRUZIONI DI MONTAGGIO

Installation Manual

CHIPBOX®

MAZDA MPS 2.3 190KW




RIMUOVERE IL COPERCHIO MOTORE E
ATTENDERE 5 MINUTI CON QUADRO SPENTO
*Remove the engine cover and **wait 5 minutes** with ignition off.*

SENSORE PRESSIONE RAIL
*Rail sensor 3-way
located on the left front side of the engine.*



SENSORE PRESSIONE TURBO A 4 VIE
*Turbo pressure sensor 4-way
located on the left front side of the engine*




VALVOLA PRESSIONE TURBINA A 2 VIE
*Turbo control valve 2-way
located on the right rear side of the engine*

TEL/FAX 0424 536686
CELL. 328-6669091
WWW.SELETRON.COM - INFO@SELETRON.COM

SELETRON
VIA CA'BASEGGIO, 29A
36056 TEZZE SUL BRENTA (VI)

SELETRON

Generic scheme



COLLEGAMENTI:

Collegare il cavo nero a massa
Collegare il cavo verde tramite interruttore a massa (se non collegato CHIPBOX sempre attivo)

FUNZIONAMENTO LED

Rimuovere le 4 viti del coperchio CHIPBOX
Led rosso ON CHIPBOX alimentato
Led verde ON CHIPBOX attivo
Led verde OFF CHIPBOX disattivato tramite filo verde a massa



Wiring:

Connect "black" wire to chassis (ground)
Connect "green" wire, (not necessary) if you want to be able to activate/deactivate the CHIPBOX.



LED functionality:

Locate the LEDs by removing the CHIPBOX cover plate (remove 4 x screws)
"Red" led " ON" indicates that power is going to the CHIPBOX
"Green" led "ON" indicates that the engine is "idling"
"Green" led "OFF" indicates the CHIPBOX unit has been switched "OFF", (by "green" wires been grounded)

Switch




Wireless (OPTIONAL)




Return to Original

24 Ways Connector



15 Ways Connector



Only on: CHIPBOX CR
CHIPBOX BNZ
CHIPBOX PIEZO
CHIPBOX TB900
CHIPBOX CAN-BUS